JOURNAL
OF THE AIR & WASTE MANAGEMENT ASSOCIATION VOLUME 46

Subject Index

Absorbents
Validation of a test method for collection and analysis of chloroform emissions from stationary sources, 66

Acclimation
Effect of periods of non-use on biofilter performance, 539

Accuracy Assessments
An experimental evaluation of remote sensing-based hydrocarbon measurements: A comparison to FID measurements, 148
Airborne chemical and meteorological measurements made during the 1992 TRACT experiment: Quality control and assessment, 710
Modeling emissions from elevated cylindrical bins, 725

Acid Deposition
Potential consequences of the Clean Coal Program for air and waste issues, 517
Estimation of trends in atmospheric concentrations of sulfate in the northeastern United States, 621
Wetfall deposition and precipitation chemistry for a central Appalachian forest, 978

Acidic Precipitation
Wetfall deposition and precipitation chemistry for a central Appalachian forest, 978

Acidity
Is daily mortality associated specifically with fine particles?, 927

Activated Carbon
VOC removal at low contaminant concentrations using granular activated carbon, 883

Activated Sludge
Aerobic treatment of a nitrogen-limited chemical process wastewater, 502

Adsorption
VOC removal at low contaminant concentrations using granular activated carbon, 883

Aerosols
Indoor particles: A review, 98
Comparison of two ambient beta gauge PM_{10} samplers, 142
Aerosolization as a means of sample preparation of geological materials for XRF analysis and its validity compared to EPA method 3050A digestion, 234
Particle and gas emissions from an in situ burn of crude oil on the ocean, 251
Understanding and reducing the indoor concentration of submicron particles at a commercial building in southern California, 291
Airborne lidar measurements of a smoke plume produced by a controlled burn of crude oil on the ocean, 327
Identification of candidate clean air corridors for the Colorado Plateau, 441
Characterization of airborne dust from two nonferrous foundries by physico-chemical methods and multivariate statistical analyses, 450
Reactions between vapor phase lead compounds and in situ generated silica particles at various lead-silicon feed ratios: Applications to toxic metal capture in combustors, 530
Effectiveness of in-room air filtration and dilution ventilation for tuberculosis infection control, 869
Possible sources for some trace elements found in airborne particles and precipitation in Dorset, Ontario, 1035

Air Pollution
Are oxygenated fuels effective? An evaluation of ambient carbon monoxide concentrations in 11 Western states, 1986 to 1992, 20
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35
Using travel diary data to estimate the emissions impacts of transportation strategies: The Puget Sound telecommuting demonstration project, 47
Estimating trace element emissions using USGS coal data, 58
Control of nitrogen oxide emissions by hydrogen peroxide-enhanced gas-phase oxidation of nitric oxide, 127
Pressure correction is not required for particulate matter sampling, 172
RECLAIM: Los Angeles' new market-based smog cleanup program, 195
Waste gas treatment in biofilters, 349
Identification of candidate clean air corridors for the Colorado Plateau, 441
Characterization of airborne dust from two nonferrous foundries by physico-chemical methods and multivariate statistical analyses, 450
Treatment of halogenated organic vent streams for the reduction of air emissions, 458
Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems, 657
Motor vehicle emissions variability, 667
Air emissions from the manufacture of inks, 683
International diffusion of open path FTIR technology and air monitoring methods: Taiwan (Republic of China), 761
Is daily mortality associated specifically with fine particles?, 927
Scientific basis for the VOC reactivity issues raised by Section 183(e) of the Clean Air Act Amendments of 1990, 963
Thoughts on predictive emissions monitoring from a regulatory perspective, 1086
Combustion modifications of batch annealing furnaces and ammonia combustion ovens for No_x abatement in steel plants, 1171

Air Pollution Standards
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35

Air Quality
Are oxygenated fuels effective? An evaluation of ambient carbon monoxide concentrations in 11 Western states, 1986 to 1992, 20
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35
An envelope curve as a 12-month rolling sum permit limit, 174
RECLAIM: Los Angeles' new market-based smog cleanup program, 195
Treatment of halogenated organic vent streams for the reduction of air emissions, 458
Estimation of trends in atmospheric concentrations of sulfate in the northeastern United States, 621
Air emissions from the manufacture of inks, 683
Industrial combustion coordinated rulemaking, 769
Site representativeness of urban air monitoring stations, 755

JOURNAL
OF THE AIR & WASTE MANAGEMENT ASSOCIATION VOLUME 46

Subject Index

Absorbents
Validation of a test method for collection and analysis of chloroform emissions from stationary sources, 66

Acclimation
Effect of periods of non-use on biofilter performance, 539

Accuracy Assessments
An experimental evaluation of remote sensing-based hydrocarbon measurements: A comparison to FID measurements, 148
Airborne chemical and meteorological measurements made during the 1992 TRACT experiment: Quality control and assessment, 710
Modeling emissions from elevated cylindrical bins, 725

Acid Deposition
Potential consequences of the Clean Coal Program for air and waste issues, 517
Estimation of trends in atmospheric concentrations of sulfate in the northeastern United States, 621
Wetfall deposition and precipitation chemistry for a central Appalachian forest, 978

Acidic Precipitation
Wetfall deposition and precipitation chemistry for a central Appalachian forest, 978

Acidity
Is daily mortality associated specifically with fine particles?, 927

Activated Carbon
VOC removal at low contaminant concentrations using granular activated carbon, 883

Activated Sludge
Aerobic treatment of a nitrogen-limited chemical process wastewater, 502

Adsorption
VOC removal at low contaminant concentrations using granular activated carbon, 883

Aerosols
Indoor particles: A review, 98
Comparison of two ambient beta gauge PM_{10} samplers, 142
Aerosolization as a means of sample preparation of geological materials for XRF analysis and its validity compared to EPA method 3050A digestion, 234
Particle and gas emissions from an in situ burn of crude oil on the ocean, 251
Understanding and reducing the indoor concentration of submicron particles at a commercial building in southern California, 291
Airborne lidar measurements of a smoke plume produced by a controlled burn of crude oil on the ocean, 327
Identification of candidate clean air corridors for the Colorado Plateau, 441
Characterization of airborne dust from two nonferrous foundries by physico-chemical methods and multivariate statistical analyses, 450
Reactions between vapor phase lead compounds and in situ generated silica particles at various lead-silicon feed ratios: Applications to toxic metal capture in combustors, 530
Effectiveness of in-room air filtration and dilution ventilation for tuberculosis infection control, 869
Possible sources for some trace elements found in airborne particles and precipitation in Dorset, Ontario, 1035

Air Pollution
Are oxygenated fuels effective? An evaluation of ambient carbon monoxide concentrations in 11 Western states, 1986 to 1992, 20
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35
Using travel diary data to estimate the emissions impacts of transportation strategies: The Puget Sound telecommuting demonstration project, 47
Estimating trace element emissions using USGS coal data, 58
Control of nitrogen oxide emissions by hydrogen peroxide-enhanced gas-phase oxidation of nitric oxide, 127
Pressure correction is not required for particulate matter sampling, 172
RECLAIM: Los Angeles' new market-based smog cleanup program, 195
Waste gas treatment in biofilters, 349
Identification of candidate clean air corridors for the Colorado Plateau, 441
Characterization of airborne dust from two nonferrous foundries by physico-chemical methods and multivariate statistical analyses, 450
Treatment of halogenated organic vent streams for the reduction of air emissions, 458
Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems, 657
Motor vehicle emissions variability, 667
Air emissions from the manufacture of inks, 683
International diffusion of open path FTIR technology and air monitoring methods: Taiwan (Republic of China), 761
Is daily mortality associated specifically with fine particles?, 927
Scientific basis for the VOC reactivity issues raised by Section 183(e) of the Clean Air Act Amendments of 1990, 963
Thoughts on predictive emissions monitoring from a regulatory perspective, 1086
Combustion modifications of batch annealing furnaces and ammonia combustion ovens for No_x abatement in steel plants, 1171

Air Pollution Standards
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35

Air Quality
Are oxygenated fuels effective? An evaluation of ambient carbon monoxide concentrations in 11 Western states, 1986 to 1992, 20
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35
An envelope curve as a 12-month rolling sum permit limit, 174
RECLAIM: Los Angeles' new market-based smog cleanup program, 195
Treatment of halogenated organic vent streams for the reduction of air emissions, 458
Estimation of trends in atmospheric concentrations of sulfate in the northeastern United States, 621
Air emissions from the manufacture of inks, 683
Industrial combustion coordinated rulemaking, 769
Site representativeness of urban air monitoring stations, 755

A strategy for the evaluation of sensory and pulmonary irritation due to chemical emissions from indoor sources, 808
Analysis of sampling strategies for estimating annual average indoor NO_2 concentrations in residences with gas ranges, 853

Air Quality Standards
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35
Background ozone in the planetary boundary layer over the United States, 134
Comparison of two ambient beta gauge PM_{10} samplers, 142
Pressure correction is not required for particulate matter sampling, 172
Site representativeness of urban air monitoring stations, 755
Review of quantitative standards and guidelines for fungi in indoor air, 899
Assessment of health effects of fluctuating concentrations using simplified pharmacokinetic algorithms, 1022

Air Quality Studies
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35
Airborne chemical and meteorological measurements made during the 1992 TRACT experiment: Quality control and assessment, 710

Air Toxics
A gas chromatographic continuous emissions monitoring system for the determination of VOCs and HAPs, 30
Estimating trace element emissions using USGS coal data, 58
Uptake of elemental mercury vapors by activated carbons, 241
Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber, 309
Interlaboratory and intralaboratory variability in the analysis of mercury in coal, 317
Treatment of halogenated organic vent streams for the reduction of air emissions, 458
Reactions between vapor phase lead compounds and in situ generated silica particles at various lead-silicon feed ratios: Applications to toxic metal capture in combustors, 530
Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems, 657
Air emissions from the manufacture of inks, 683
Characterization of air toxics from an oil-fired firetube boiler, 742
Vehicle occupants' exposure to aromatic volatile organic compounds while commuting on an urban-suburban route in Korea, 749
Influence of ethanol-blended fuels on the emissions from three pre-1985 light-duty passenger vehicles, 1149

Airborne Lidar
Airborne lidar measurements of a smoke plume produced by a controlled burn of crude oil on the ocean, 327

Alternative/Innovative Technologies
Enhancement of remote sensing for mobile source nitric oxide, 25
Using travel diary data to estimate the emissions impacts of transportation strategies: The Puget Sound telecommuting demonstration project, 47
Aerosolization as a means of sample preparation of geological materials for XRF analysis and its validity compared to EPA method 3050A digestion, 234
Uptake of elemental mercury vapors by activated carbons, 241
Nutrient limitation in a compost biofilter degrading hexane, 300
Airborne lidar measurements of a smoke plume produced by a controlled burn of crude oil on the ocean, 327
EPA SITE emerging technology program: COGNIS TERRAMET® lead extraction process, 470
Site demonstration of Terra-Kleen response group's mobile solvent extraction process, 971
Thoughts on predictive emissions monitoring from a regulatory perspective, 1086

Alveolar Breath Sampling
Alveolar breath sampling and analysis to assess exposures to methyl tertiary butyl ether (MTBE) during motor vehicle refueling, 676
A methodological approach for exposure assessment studies in residences using volatile organic compound-contaminated water, 1058

Ambient Air
Predicting radon testing among university employees, 2
Indoor particles: A review, 98
International diffusion of open path FTIR technology and air monitoring methods: Taiwan (Republic of China), 761

Ambient Air Quality Standards
Background ozone in the planetary boundary layer over the United States, 134
Comparison of two ambient beta gauge PM_{10} samplers, 142
Assessment of health effects of fluctuating concentrations using simplified pharmacokinetic algorithms, 1022

Ambient Concentrations
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35
Background ozone in the planetary boundary layer over the United States, 134
Comparison of two ambient beta gauge PM_{10} samplers, 142
Pressure correction is not required for particulate matter sampling, 172
Estimation of trends in atmospheric concentrations of sulfate in the northeastern United States, 621

Ammonia
Aerobic treatment of a nitrogen-limited chemical process wastewater, 502
A simple neural network for estimating emission rates of hydrogen sulfide and ammonia from single point sources, 953

Analytical Methods
Field assessment of a new method for estimating emission rates from volume sources using open-path FTIR spectroscopy, 159
A simple physical model for high power enrichment emissions, 216
Aerosolization as a means of sample preparation of geological materials for XRF analysis and its validity compared to EPA method 3050A digestion, 234
Interlaboratory and intralaboratory variability in the analysis of mercury in coal, 317
Prediction of IM240 mass emissions using portable exhaust analyzers, 343
An indicator of solid waste generation potential for Illinois using principal components analysis and geographic information systems, 414
Characterization of airborne dust from two nonferrous foundries by physico-chemical methods and multivariate statistical analyses, 450
Measurement of indoor air emissions from dry-process photocopy machines, 821
The application of the Karl Fischer oven for the determination of water in consumer products, 990
Evaluation of an in situ, on-line purging system for the cone penetrometer, 1081

Applications
An indicator of solid waste generation potential for Illinois

using principal components analysis and geographic information systems, 414
The application of the Karl Fischer oven for the determination of water in consumer products, 990

Area Sources
Field assessment of a new method for estimating emission rates from volume sources using open-path FTIR spectroscopy, 159
Diagnosis and repair of excessively emitting vehicles, 940
Scientific basis for the VOC reactivity issues raised by Section 183(e) of the Clean Air Act Amendments of 1990, 963

Aromatics
Vehicle occupants' exposure to aromatic volatile organic compounds while commuting on an urban-suburban route in Korea, 749

Arsenic
Low temperature desorption applications of a direct-fired rotary kiln incinerator, 12
Estimating trace element emissions using USGS coal data, 58

Ash, Bottom
Potential consequences of the Clean Coal Program for air and waste issues, 517

Ash, Fly
Determination of the leaching dynamics of metals from municipal solid waste incinerator fly ash using a column test, 643

Atmospheric Chemistry
Scientific basis for the VOC reactivity issues raised by Section 183(e) of the Clean Air Act Amendments of 1990, 963
Wetfall deposition and precipitation chemistry for a central Appalachian forest, 978
Possible sources for some trace elements found in airborne particles and precipitation in Dorset, Ontario, 1035

Auditing
Airborne chemical and meteorological measurements made during the 1992 TRACT experiment: Quality control and assessment, 710

Automotive Exhaust
Enhancement of remote sensing for mobile source nitric oxide, 25
Using travel diary data to estimate the emissions impacts of transportation strategies: The Puget Sound telecommuting demonstration project, 47
An experimental evaluation of remote sensing-based hydrocarbon measurements: A comparison to FID measurements, 148
A simple physical model for high power enrichment emissions, 216
Prediction of IM240 mass emissions using portable exhaust analyzers, 343
A mathematical model for predicting trends in carbon monoxide emissions and exposures on urban arterial highways, 430
Analysis of remote sensing errors of omission and commission under FTP conditions, 510
Motor vehicle emissions variability, 667
Vehicle occupants' exposure to aromatic volatile organic compounds while commuting on an urban-suburban route in Korea, 749
Diagnosis and repair of excessively emitting vehicles, 940
Influence of ethanol-blended fuels on the emissions from three pre-1985 light-duty passenger vehicles, 1149

Benzene
Alveolar breath sampling and analysis to assess exposures to methyl tertiary butyl ether (MTBE) during motor vehicle refueling, 676

Bioaerosols
Review of quantitative standards and guidelines for fungi in indoor air, 899

Biofiltration
Nutrient limitation in a compost biofilter degrading hexane, 300
Effect of periods of non-use on biofilter performance, 539

Black Cherry
Predicting ozone uptake from meteorological and environmental variables, 464

Calculation Methods
Pressure correction is not required for particulate matter sampling, 172
Modeling indoor air concentrations near emission sources in imperfectly mixed rooms, 861

Calibration
Airborne chemical and meteorological measurements made during the 1992 TRACT experiment: Quality control and assessment, 710

Carbon Dioxide
Causes and consequences of backdrafting of vented gas appliances, 838

Carbon Monoxide
Are oxygenated fuels effective? An evaluation of ambient carbon monoxide concentrations in 11 Western states, 1986 to 1992, 20
A simple physical model for high power enrichment emissions, 216
A mathematical model for predicting trends in carbon monoxide emissions and exposures on urban arterial highways, 430
Effect of periods of non-use on biofilter performance, 539
A fuel-based motor vehicle emission inventory, 581
Site representativeness of urban air monitoring stations, 755
Causes and consequences of backdrafting of vented gas appliances, 838
Cost-effectiveness of emissions reduction through vehicle repair compared to CNG conversion, 985
Assessment of health effects of fluctuating concentrations using simplified pharmacokinetic algorithms, 1022
Influence of ethanol-blended fuels on the emissions from three pre-1985 light-duty passenger vehicles, 1149
Particle concentrations inside a tavern before and after prohibition of smoking: Evaluating the performance of an indoor air quality model, 1120

Carcinegens
Establishing and evaluating the risk implications of uniform soil remediation goals, 1179

Catalytic Conversion
Heterogeneous photocatalysis for control of volatile organic compounds in indoor air, 891

CERCLA
Thermal immobilization of lead contaminants in soils treated in a fixed- and fluidized-bed incinerator at moderate temperatures, 422

Characterization
Characterization of airborne dust from two nonferrous foundries by physico-chemical methods and multivariate statistical analyses, 450
Characterization of volatile organic chemical emissions from carpet cushions, 813
Laboratory scale thermal plasma arc vitrification studies of heavy metal-laden waste, 1075

Chemical Stripping
Volatilization of chemicals from drinking water to indoor air: Role of the kitchen sink, 830

Chloroform
Chloroform in indoor air and wastewater: The role of residential washing machines, 631

Chloroform Emissions
Validation of a test method for collection and analysis of chloroform emissions from stationary sources, 66

Clean Air Act Amendments
Indoor particles: A review, 98
Interlaboratory and intralaboratory variability in the analysis of mercury in coal, 317
Identification of candidate clean air corridors for the Colorado Plateau, 441
Estimation of trends in atmospheric concentrations of sulfate in the northeastern United States, 621

Clean Air Corridor
Identification of candidate clean air corridors for the Colorado Plateau, 441

Clean Coal Technologies
Potential consequences of the Clean Coal Program for air and waste issues, 517

Cleanup Standards
Establishing and evaluating the risk implications of uniform soil remediation goals, 1179

Coal-Burning Facilities
Interlaboratory and intralaboratory variability in the analysis of mercury in coal, 317

Collection and Analysis
Validation of a test method for collection and analysis of chloroform emissions from stationary sources, 66

Combustion
Low temperature desorption applications of a direct-fired rotary kiln incinerator, 12
Control of nitrogen oxide emissions by hydrogen peroxide-enhanced gas-phase oxidation of nitric oxide, 127
Particle and gas emissions from an in situ burn of crude oil on the ocean, 251
Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber, 309
Airborne lidar measurements of a smoke plume produced by a controlled burn of crude oil on the ocean, 327
Reactions between vapor phase lead compounds and in situ generated silica particles at various lead-silicon feed ratios: Applications to toxic metal capture in combustors, 530
Analysis of sampling strategies for estimating annual average indoor NO_2 concentrations in residences with gas ranges, 853
Thoughts on predictive emissions monitoring from a regulatory perspective, 1086
Combustion modifications of batch annealing furnaces and ammonia combustion ovens for No_x abatement in steel plants, 1171

Combustion Sources
Industrial combustion coordinated rulemaking, 769

Compliance
Pressure correction is not required for particulate matter sampling, 172
An envelope curve as a 12-month rolling sum permit limit, 174
Laboratory scale thermal plasma arc vitrification studies of heavy metal-laden waste, 1075
Thoughts on predictive emissions monitoring from a regulatory perspective, 1086

Consumer Products
The application of the Karl Fischer oven for the determination of water in consumer products, 990
Determination of exempt and prohibited compounds in consumer products by headspace gas chromatography mass spectrometry, 1093

Contaminated Soil
Low temperature desorption applications of a direct-fired rotary kiln incinerator, 12
Thermal immobilization of lead contaminants in soils treated in a fixed- and fluidized-bed incinerator at moderate temperatures, 422
EPA SITE emerging technology program: COGNIS TERRAMET® lead extraction process, 470
Site demonstration of Terra-Kleen response group's mobile solvent extraction process, 971
Establishing and evaluating the risk implications of uniform soil remediation goals, 1179

Continuous Emission Monitoring
A gas chromatographic continuous emissions monitoring system for the determination of VOCs and HAPs, 30
Research and development on odor measurement using a semiconductor gas sensor, 260
Thoughts on predictive emissions monitoring from a regulatory perspective, 1086

Control Strategies
Using travel diary data to estimate the emissions impacts of transportation strategies: The Puget Sound telecommuting demonstration project, 47
RECLAIM: Los Angeles' new market-based smog cleanup program, 195
Understanding and reducing the indoor concentration of submicron particles at a commercial building in Southern California, 291
Comparison of outdoor and classroom ozone exposures for school children in Mexico City, 335
Motor vehicle emissions variability, 667
Diagnosis and repair of excessively emitting vehicles, 940
Receptor model evaluation of the southeast Michigan ozone study ambient NMOC measurements, 1048

Control Technologies
Nutrient limitation in a compost biofilter degrading hexane, 300
Waste gas treatment in biofilters, 349
Effectiveness of in-room air filtration and dilution ventilation for tuberculosis infection control, 869
VOC removal at low contaminant concentrations using granular activated carbon, 883
Heterogeneous photocatalysis for control of volatile organic compounds in indoor air, 891
Combustion modifications of batch annealing furnaces and ammonia combustion ovens for No_x abatement in steel plants, 1171

Cooking (particle source)
Indoor particles: A review, 98

Costs
Cost-effectiveness of emissions reduction through vehicle repair compared to CNG conversion, 985

Course Mass
Is daily mortality associated specifically with fine particles?, 927

Data Collection
An indicator of solid waste generation potential for Illinois using principal components analysis and geographic information systems, 414
Site representativeness of urban air monitoring stations, 755

Data Quality
Airborne chemical and meteorological measurements made during the 1992 TRACT experiment: Quality control and assessment, 710
Modeling emissions from elevated cylindrical bins, 725

Databases
Estimating trace element emissions using USGS coal data, 58

Decision Making
Predicting radon testing among university employees, 2
Motor vehicle emissions variability, 667
Assessment of health effects of fluctuating concentrations using simplified pharmacokinetic algorithms, 1022

Diesel
A central composite rotatable analysis for the catalyzed hydrogen peroxide remediation of diesel-contaminated soils, 1067

Dispersion Models
Field assessment of a new method for estimating emission rates from volume sources using open-path FTIR spectroscopy, 159
Modeling emissions from elevated cylindrical bins, 725
Modeling indoor air concentrations near emission sources in imperfectly mixed rooms, 861

Downwind and Source Areas
Urban ozone plumes and population distribution by income and race: A case study of New York and Philadelphia, 207

Drinking Water
Volatilization of chemicals from drinking water to indoor air: Role of the kitchen sink, 830

Dust, Fugitive
Aerosolization as a means of sample preparation of geological materials for XRF analysis and its validity compared to EPA method 3050A digestion, 234

EDTA
Laboratory investigation of heavy metal removal by soil washing, 765

Electric Utilities
Uptake of elemental mercury vapors by activated carbons, 241
Interlaboratory and intralaboratory variability in the analysis of mercury in coal, 317

Elevated Cylindrical Bins
Modeling emissions from elevated cylindrical bins, 725

Emerging Technology Program
EPA SITE emerging technology program: COGNIS TERRAMET® lead extraction process, 470
Thoughts on predictive emissions monitoring from a regulatory perspective, 1086

Emission Controls
Uptake of elemental mercury vapors by activated carbons, 241
Waste gas treatment in biofilters, 349
Treatment of halogenated organic vent streams for the reduction of air emissions, 458
Effect of periods of non-use on biofilter performance, 539
Motor vehicle emissions variability, 667
On the intrinsic high temperature calcium oxide-sulfur dioxide reaction using the vacuum thermogravimetric analysis technique, 734
Cost-effectiveness of emissions reduction through vehicle repair compared to CNG conversion, 985
Combustion modifications of batch annealing furnaces and ammonia combustion ovens for No_x abatement in steel plants, 1171

Emission Factors
Air emissions from the manufacture of inks, 683

Emission Inventories
Using travel diary data to estimate the emissions impacts of transportation strategies: The Puget Sound telecommuting demonstration project, 47
Effect of periods of non-use on biofilter performance, 539
A fuel-based motor vehicle emission inventory, 581
Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems, 657
Air emissions from the manufacture of inks, 683
A simple neural network for estimating emission rates of hydrogen sulfide and ammonia from single point sources, 953
Receptor model evaluation of the southeast Michigan ozone study ambient NMOC measurements, 1048

Emission Rates
Field assessment of a new method for estimating emission rates from volume sources using open-path FTIR spectroscopy, 159
A simple physical model for high power enrichment emissions, 216
A fuel-based motor vehicle emission inventory, 581
Chloroform in indoor air and wastewater: The role of residential washing machines, 631
Air emissions from the manufacture of inks, 683
Characterization of air toxics from an oil-fired firetube boiler, 742
Characterization of volatile organic chemical emissions from carpet cushions, 813
Measurement of indoor air emissions from dry-process photocopy machines, 821
Volatilization of chemicals from drinking water to indoor air: Role of the kitchen sink, 830
A simple neural network for estimating emission rates of hydrogen sulfide and ammonia from single point sources, 953
Thoughts on predictive emissions monitoring from a regulatory perspective, 1086
Combustion modifications of batch annealing furnaces and ammonia combustion ovens for No_x abatement in steel plants, 1171

Emission Standards
A mathematical model for predicting trends in carbon monoxide emissions and exposures on urban arterial highways, 430
Development of emission factors for polyethylene processing, 569
Industrial combustion coordinated rulemaking, 769

Emissions
Estimating trace element emissions using USGS coal data, 58
Validation of a test method for collection and analysis of chloroform emissions from stationary sources, 66
An envelope curve as a 12-month rolling sum permit limit, 174
Interlaboratory and intralaboratory variability in the analysis of mercury in coal, 317
Airborne lidar measurements of a smoke plume produced by a controlled burn of crude oil on the ocean, 327
Real world vehicle emissions: A summary of the fifth coordinating research council on-road vehicle emissions workshop, 355
Identification of candidate clean air corridors for the Colorado Plateau, 441
Effect of periods of non-use on biofilter performance, 539
Development of emission factors for polyethylene processing, 569
Analysis of sampling strategies for estimating annual average indoor NO_2 concentrations in residences with gas ranges, 853

A simple neural network for estimating emission rates of hydrogen sulfide and ammonia from single point sources, 953

Emissions Characterization
Enhancement of remote sensing for mobile source nitric oxide, 25
VOC emissions from sewer junction boxes and drop structures: Estimation methods and experimental results, 224
Particle and gas emissions from an in situ burn of crude oil on the ocean, 251
Research and development on odor measurement using a semiconductor gas sensor, 260
Real world vehicle emissions: A summary of the fifth coordinating research council on-road vehicle emissions workshop, 355
Development of emission factors for polyethylene processing, 569
Chloroform in indoor air and wastewater: The role of residential washing machines, 631
Characterization of air toxics from an oil-fired firetube boiler, 742
Characterization of volatile organic chemical emissions from carpet cushions, 813
Volatilization of chemicals from drinking water to indoor air: Role of the kitchen sink, 830
Scientific basis for the VOC reactivity issues raised by Section 183(e) of the Clean Air Act Amendments of 1990, 963
Combustion modifications of batch annealing furnaces and ammonia combustion ovens for No_x abatement in steel plants, 1171
Research and evaluations of organic hazardous air pollutant source emission test methods, 1135
Influence of ethanol-blended fuels on the emissions from three pre-1985 light-duty passenger vehicles, 1149

Emissions Reduction
Evaluation of innovative ink feed systems for the flexographic and gravure printing industries, 267
Waste gas treatment in biofilters, 349
Treatment of halogenated organic vent streams for the reduction of air emissions, 458
Potential consequences of the Clean Coal Program for air and waste issues, 517
Estimation of trends in atmospheric concentrations of sulfate in the northeastern United States, 621
Industrial combustion coordinated rulemaking, 769
Cost-effectiveness of emissions reduction through vehicle repair compared to CNG conversion, 985
Combustion modifications of batch annealing furnaces and ammonia combustion ovens for No_x abatement in steel plants, 1171

Emissions Trading
RECLAIM: Los Angeles' new market-based smog cleanup program, 195

Emissions Variability
Motor vehicle emissions variability, 667

Emissions, Automotive
Are oxygenated fuels effective? An evaluation of ambient carbon monoxide concentrations in 11 Western states, 1986 to 1992, 20
Enhancement of remote sensing for mobile source nitric oxide, 25
Using travel diary data to estimate the emissions impacts of transportation strategies: The Puget Sound telecommuting demonstration project, 47
An experimental evaluation of remote sensing-based hydrocarbon measurements: A comparison to FID measurements, 148
A simple physical model for high power enrichment emissions, 216
Prediction of IM240 mass emissions using portable exhaust analyzers, 343
Real world vehicle emissions: A summary of the fifth coordinating research council on-road vehicle emissions workshop, 355
A mathematical model for predicting trends in carbon monoxide emissions and exposures on urban arterial highways, 430
Effect of periods of non-use on biofilter performance, 539
A fuel-based motor vehicle emission inventory, 581
Motor vehicle emissions variability, 667
Diagnosis and repair of excessively emitting vehicles, 940
Cost-effectiveness of emissions reduction through vehicle repair compared to CNG conversion, 985

Emissions, Carbon Monoxide
A simple physical model for high power enrichment emissions, 216
Prediction of IM240 mass emissions using portable exhaust analyzers, 343
Effect of periods of non-use on biofilter performance, 539
A fuel-based motor vehicle emission inventory, 581
Motor vehicle emissions variability, 667

Emissions, Fugitive
Field assessment of a new method for estimating emission rates from volume sources using open-path FTIR spectroscopy, 159
VOC emissions from sewer junction boxes and drop structures: Estimation methods and experimental results, 224
Evaluation of innovative ink feed systems for the flexographic and gravure printing industries, 267

Emissions, Hydrocarbon
An experimental evaluation of remote sensing-based hydrocarbon measurements: A comparison to FID measurements, 148
Prediction of IM240 mass emissions using portable exhaust analyzers, 343
Effect of periods of non-use on biofilter performance, 539
Development of emission factors for polyethylene processing, 569
Motor vehicle emissions variability, 667
Characterization of volatile organic chemical emissions from carpet cushions, 813
Scientific basis for the VOC reactivity issues raised by Section 183(e) of the Clean Air Act Amendments of 1990, 963
Receptor model evaluation of the southeast Michigan ozone study ambient NMOC measurements, 1048

Enforcement
An envelope curve as a 12-month rolling sum permit limit, 174
RECLAIM: Los Angeles' new market-based smog cleanup program, 195
Diagnosis and repair of excessively emitting vehicles, 940

Enrichment Emissions
A simple physical model for high power enrichment emissions, 216

Environmental Equity
Urban ozone plumes and population distribution by income and race: A case study of New York and Philadelphia, 207

Environmental Impacts
Potential consequences of the Clean Coal Program for air and waste issues, 517

Environmental Justice
A socioeconomic assessment of human exposure to ozone in the South Coast air basin of California, 547

Environmental Law
Scientific basis for the VOC reactivity issues raised by Section 183(e) of the Clean Air Act Amendments of 1990, 963

Environmental Management
An indicator of solid waste generation potential for Illinois using principal

components analysis and geographic information systems, 414
Establishing and evaluating the risk implications of uniform soil remediation goals, 1179

Environmental Tobacco Smoke
Indoor particles: A review, 98
Particle concentrations inside a tavern before and after prohibition of smoking: Evaluating the performance of an indoor air quality model, 1120

Epidemiology
Is daily mortality associated specifically with fine particles?, 927

Ethanol Fuels
Influence of ethanol-blended fuels on the emissions from three pre-1985 light-duty passenger vehicles, 1149

Exposure Assessment
A methodological approach for exposure assessment studies in residences using volatile organic compound-contaminated water, 1058

Exposure Modeling
A socioeconomic assessment of human exposure to ozone in the South Coast air basin of California, 547

Exposure Parameters
Indoor particles: A review, 98
A socioeconomic assessment of human exposure to ozone in the South Coast air basin of California, 547
Modeling indoor air concentrations near emission sources in imperfectly mixed rooms, 861

Fenton's Reagent
A central composite rotatable analysis for the catalyzed hydrogen peroxide remediation of diesel-contaminated soils, 1067

Field Validation
Validation of a test method for collection and analysis of chloroform emissions from stationary sources, 66

Filtration
Effectiveness of in-room air filtration and dilution ventilation for tuberculosis infection control, 869

Filtration Efficiency
Understanding and reducing the indoor concentration of submicron particles at a commercial building in southern California, 291

Fine Particles ($PM_{2.5}$, $PM_{3.5}$)
Indoor particles: A review, 98
On the intrinsic high temperature calcium oxide-sulfur dioxide reaction using the vacuum thermogravimetric analysis technique, 734

Flexography
Evaluation of innovative ink feed systems for the flexographic and gravure printing industries, 267
On the intrinsic high temperature calcium oxide-sulfur dioxide reaction using the vacuum thermogravimetric analysis technique, 734

Flue Gases
Control of nitrogen oxide emissions by hydrogen peroxide-enhanced gas-phase oxidation of nitric oxide, 127
Combustion modifications of batch annealing furnaces and ammonia combustion ovens for No_x abatement in steel plants, 1171

Forests
Wetfall deposition and precipitation chemistry for a central Appalachian forest, 978

Formation
Chloroform in indoor air and wastewater: The role of residential washing machines, 631

Fuels, Alternative
Are oxygenated fuels effective? An evaluation of ambient carbon monoxide concentrations in 11 Western states, 1986 to 1992, 20
Cost-effectiveness of emissions reduction through vehicle repair compared to CNG conversion, 985

Fuels, Fossil
Interlaboratory and intralaboratory variability in the analysis of mercury in coal, 317

Fungi
Review of quantitative standards and guidelines for fungi in indoor air, 899

Gas Chromatography
A gas chromatographic continuous emissions monitoring system for the determination of VOCs and HAPs, 30
Validation of a test method for collection and analysis of chloroform emissions from stationary sources, 66
Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber, 309
Evaluation of an in situ, on-line purging system for the cone penetrometer, 1081

Gas Chromatography-Mass Spectrometry
Characterization of volatile organic chemical emissions from carpet cushions, 813

Gas, Natural
Causes and consequences of backdrafting of vented gas appliances, 838
Analysis of sampling strategies for estimating annual average indoor NO_2 concentrations in residences with gas ranges, 853

Gas-phase Oxidation
Control of nitrogen oxide emissions by hydrogen peroxide-enhanced gas-phase oxidation of nitric oxide, 127

Gasoline
Nutrient limitation in a compost biofilter degrading hexane, 300
Vehicle occupants' exposure to aromatic volatile organic compounds while commuting on an urban-suburban route in Korea, 749

Global Warming/Greenhouse Effect
Potential consequences of the Clean Coal Program for air and waste issues, 517

Gravure
Evaluation of innovative ink feed systems for the flexographic and gravure printing industries, 267

Groundwater
Evaluation of an in situ, on-line purging system for the cone penetrometer, 1081

Ground Water Contamination
A methodological approach for exposure assessment studies in residences using volatile organic compound-contaminated water, 1058

Halocarbons
Treatment of halogenated organic vent streams for the reduction of air emissions, 458
Chloroform in indoor air and wastewater: The role of residential washing machines, 631

Hazardous Air Pollutants
A gas chromatographic continuous emissions monitoring system for the determination of VOCs and HAPs, 30
Evaluation of innovative ink feed systems for the flexographic and gravure printing industries, 267

Interlaboratory and intralaboratory variability in the analysis of mercury in coal, 317
Waste gas treatment in biofilters, 349
Development of emission factors for polyethylene processing, 569
Determination of the leaching dynamics of metals from municipal solid waste incinerator fly ash using a column test, 643
Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems, 657
Characterization of air toxics from an oil-fired firetube boiler, 742
Laboratory scale thermal plasma arc vitrification studies of heavy metal-laden waste, 1075
Research and evaluations of organic hazardous air pollutant source emission test methods, 1135

Hazardous Waste
Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber, 309
Determination of the leaching dynamics of metals from municipal solid waste incinerator fly ash using a column test, 643
Laboratory scale thermal plasma arc vitrification studies of heavy metal-laden waste, 1075

Hazardous Waste Cleanup
Thermal immobilization of lead contaminants in soils treated in a fixed- and fluidized-bed incinerator at moderate temperatures, 422
EPA SITE emerging technology program: COGNIS TERRAMET® lead extraction process, 470
Site demonstration of Terra-Kleen response group's mobile solvent extraction process, 971
Establishing and evaluating the risk implications of uniform soil remediation goals, 1179

Hazardous Waste Management
Low temperature desorption applications of a direct-fired rotary kiln incinerator, 12
Particle and gas emissions from an in situ burn of crude oil on the ocean, 251
Modeling of thermal treatment of hazardous solid wastes in a DC arc melter, 1162

Hazardous Waste Sites
Thermal immobilization of lead contaminants in soils treated in a fixed- and fluidized-bed incinerator at moderate temperatures, 422
Site demonstration of Terra-Kleen response group's mobile solvent extraction process, 971
Establishing and evaluating the risk implications of uniform soil remediation goals, 1179

Haze
Identification of candidate clean air corridors for the Colorado Plateau, 441

Headspace Gas Chromatography
Determination of exempt and prohibited compounds in consumer products by headspace gas chromatography mass spectrometry, 1093

Health Effects/Risks
A strategy for the evaluation of sensory and pulmonary irritation due to chemical emissions from indoor sources, 808
Is daily mortality associated specifically with fine particles?, 927
Assessment of health effects of fluctuating concentrations using simplified pharmacokinetic algorithms, 1022
Establishing and evaluating the risk implications of uniform soil remediation goals, 1179

Heavy Metals
Laboratory investigation of heavy metal removal by soil washing, 765

Heterogeneous Photocatalysis
Heterogeneous photocatalysis for control of volatile organic compounds in indoor air, 891

Human Exposure
Predicting radon testing among university employees, 2
Indoor particles: A review, 98
Pressure correction is not required for particulate matter sampling, 172
Comparison of outdoor and classroom ozone exposures for school children in Mexico City, 335
A mathematical model for predicting trends in carbon monoxide emissions and exposures on urban arterial highways, 430
A socioeconomic assessment of human exposure to ozone in the South Coast air basin of California, 547
Chloroform in indoor air and wastewater: The role of residential washing machines, 631
Modeling indoor air concentrations near emission sources in imperfectly mixed rooms, 861

Humidity
Comparison of two ambient beta gauge PM_{10} samplers, 142

HVAC Systems
Understanding and reducing the indoor concentration of submicron particles at a commercial building in Southern California, 291
Causes and consequences of backdrafting of vented gas appliances, 838
Modeling indoor air concentrations near emission sources in imperfectly mixed rooms, 861

Hydrocarbons
An experimental evaluation of remote sensing-based hydrocarbon measurements: A comparison to FID measurements, 148
Nutrient limitation in a compost biofilter degrading hexane, 300
Influence of ethanol-blended fuels on the emissions from three pre-1985 light-duty passenger vehicles, 1149

Hydrogen Peroxide
A central composite rotatable analysis for the catalyzed hydrogen peroxide remediation of diesel-contaminated soils, 1067

Hydrogen Sulfide
Research and development on odor measurement using a semiconductor gas sensor, 260
A simple neural network for estimating emission rates of hydrogen sulfide and ammonia from single point sources, 953

Incineration
Uptake of elemental mercury vapors by activated carbons, 241
Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber, 309
Thermal immobilization of lead contaminants in soils treated in a fixed- and fluidized-bed incinerator at moderate temperatures, 422
Treatment of halogenated organic vent streams for the reduction of air emissions, 458
Reactions between vapor phase lead compounds and in situ generated silica particles at various lead-silicon feed ratios: Applications to toxic metal capture in combustors, 530
Laboratory investigation of a new Trommel Model, 558
Determination of the leaching dynamics of metals from municipal solid waste incinerator fly ash using a column test, 643

Income
Urban ozone plumes and population distribution by income and race: A

case study of New York and Philadelphia, 207

Individual Exposure
Vehicle occupants' exposure to aromatic volatile organic compounds while commuting on an urban-suburban route in Korea, 749
Modeling indoor air concentrations near emission sources in imperfectly mixed rooms, 861
Particle concentrations inside a tavern before and after prohibition of smoking: Evaluating the performance of an indoor air quality model, 1120

Indoor Air Pollution
Predicting radon testing among university employees, 2
Indoor particles: A review, 98
Understanding and reducing the indoor concentration of submicron particles at a commercial building in Southern California, 291
Chloroform in indoor air and wastewater: The role of residential washing machines, 631
A strategy for the evaluation of sensory and pulmonary irritation due to chemical emissions from indoor sources, 808
Characterization of volatile organic chemical emissions from carpet cushions, 813
Measurement of indoor air emissions from dry-process photocopy machines, 821
Volatilization of chemicals from drinking water to indoor air: Role of the kitchen sink, 830
Causes and consequences of backdrafting of vented gas appliances, 838
A wind tunnel study into the effects of raised intakes and parapets on fresh air intake contamination by a rooftop stack, 847
Analysis of sampling strategies for estimating annual average indoor NO_2 concentrations in residences with gas ranges, 853
Modeling indoor air concentrations near emission sources in imperfectly mixed rooms, 861
Effectiveness of in-room air filtration and dilution ventilation for tuberculosis infection control, 869
VOC removal at low contaminant concentrations using granular activated carbon, 883
Heterogeneous photocatalysis for control of volatile organic compounds in indoor air, 891
Review of quantitative standards and guidelines for fungi in indoor air, 899
Particle concentrations inside a tavern before and after prohibition of smoking: Evaluating the performance of an indoor air quality model, 1120

Indoor Air Sampling
A methodological approach for exposure assessment studies in residences using volatile organic compound-contaminated water, 1058

Industrial
Aerobic treatment of a nitrogen-limited chemical process wastewater, 502

Industrial Pollution
On the intrinsic high temperature calcium oxide-sulfur dioxide reaction using the vacuum thermogravimetric analysis technique, 734

Infection, Airborne
Effectiveness of in-room air filtration and dilution ventilation for tuberculosis infection control, 869

Ink Feed
Evaluation of innovative ink feed systems for the flexographic and gravure printing industries, 267

Inks
Air emissions from the manufacture of inks, 683

Innovative Technologies
Using travel diary data to estimate the emissions impacts of transportation strategies: The Puget Sound telecommuting demonstration project, 47
EPA SITE emerging technology program: COGNIS TERRAMET® lead extraction process, 470
Heterogeneous Photocatalysis for control of volatile organic compounds in indoor air, 891
Evaluation of an in situ, on-line purging system for the cone penetrometer, 1081

Inspection/Maintenance
Prediction of IM240 mass emissions using portable exhaust analyzers, 343
Motor vehicle emissions variability, 667
Diagnosis and repair of excessively emitting vehicles, 940

Intake Contamination
A wind tunnel study into the effects of raised intakes and parapets on fresh air intake contamination by a rooftop stack, 847

Intrinsic Reaction
On the intrinsic high temperature calcium oxide-sulfur dioxide reaction using the vacuum thermogravimetric analysis technique, 734

Large Chamber Testing
Measurement of indoor air emissions from dry-process photocopy machines, 821

Leaching
Thermal immobilization of lead contaminants in soils treated in a fixed- and fluidized-bed incinerator at moderate temperatures, 422
EPA SITE emerging technology program: COGNIS TERRAMET® lead extraction process, 470
Laboratory scale thermal plasma arc vitrification studies of heavy metal-laden waste, 1075

Lead
Assessment of health effects of fluctuating concentrations using simplified pharmacokinetic algorithms, 1022

Lead-Contaminated Soil
Thermal immobilization of lead contaminants in soils treated in a fixed- and fluidized-bed incinerator at moderate temperatures, 422

Limestone Scrubbing
On the intrinsic high temperature calcium oxide-sulfur dioxide reaction using the vacuum thermogravimetric analysis technique, 734

Location Theory
Urban ozone plumes and population distribution by income and race: A case study of New York and Philadelphia, 207

Market Incentives
RECLAIM: Los Angeles' new market-based smog cleanup program, 195

Mass Transfer
Volatilization of chemicals from drinking water to indoor air: Role of the kitchen sink, 830

Measurement Techniques
Field assessment of a new method for estimating emission rates from volume sources using open-path FTIR spectroscopy, 159
Airborne lidar measurements of a smoke plume produced by a controlled burn of crude oil on the ocean, 327
Modeling the energy content of municipal solid waste using multiple regression analysis, 650
Airborne chemical and meteorological measurements made during the 1992 TRACT

experiment: Quality control and assessment, 710
The application of the Karl Fischer oven for the determination of water in consumer products, 990
Evaluation of an in situ, on-line purging system for the cone penetrometer, 1081
Research and evaluations of organic hazardous air pollutant source emission test methods, 1135

Mercury
Low temperature desorption applications of a direct-fired rotary kiln incinerator, 12
Estimating trace element emissions using USGS coal data, 58
Uptake of elemental mercury vapors by activated carbons, 241
Interlaboratory and intralaboratory variability in the analysis of mercury in coal, 317

Meteorological Conditions
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35
Estimation of trends in atmospheric concentrations of sulfate in the northeastern United States, 621

Method Development
Measurement of indoor air emissions from dry-process photocopy machines, 821

Methyl Tertiary Butyl Ether
Alveolar breath sampling and analysis to assess exposures to methyl tertiary butyl ether (MTBE) during motor vehicle refueling, 676

Mitigation
Particle and gas emissions from an in situ burn of crude oil on the ocean, 251

Mobile Sources
A simple physical model for high power enrichment emissions, 216
Prediction of IM240 mass emissions using portable exhaust analyzers, 343
Real world vehicle emissions: A summary of the fifth coordinating research council on-road vehicle emissions workshop, 355
A mathematical model for predicting trends in carbon monoxide emissions and exposures on urban arterial highways, 430
Motor vehicle emissions variability, 667
Diagnosis and repair of excessively emitting vehicles, 940

Modeling
Indoor particles: A review, 98
A simple physical model for high power enrichment emissions, 216
Understanding and reducing the indoor concentration of submicron particles at a commercial building in southern California, 291
Real world vehicle emissions: A summary of the fifth coordinating research council on-road vehicle emissions workshop, 355
A mathematical model for predicting trends in carbon monoxide emissions and exposures on urban arterial highways, 430
Chloroform in indoor air and wastewater: The role of residential washing machines, 631
Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems, 657
Modeling emissions from elevated cylindrical bins, 725
Volatilization of chemicals from drinking water to indoor air: Role of the kitchen sink, 830
A wind tunnel study into the effects of raised intakes and parapets on fresh air intake contamination by a rooftop stack, 847
Analysis of sampling strategies for estimating annual average indoor NO_2 concentrations in residences with gas ranges, 853
Modeling indoor air concentrations near emission sources in imperfectly mixed rooms, 861
A simple neural network for estimating emission rates of hydrogen sulfide and ammonia from single point sources, 953
Thoughts on predictive emissions monitoring from a regulatory perspective, 1086
Modeling of thermal treatment of hazardous solid wastes in a DC arc melter, 1162

Modeling Energy Content
Modeling the energy content of municipal solid waste using multiple regression analysis, 650

Mold
Review of quantitative standards and guidelines for fungi in indoor air, 899

Monitoring
Indoor particles: A review, 98
Research and development on odor measurement using a semiconductor gas sensor, 260
Understanding and reducing the indoor concentration of submicron particles at a commercial building in southern California, 291
Real world vehicle emissions: A summary of the fifth coordinating research council on-road vehicle emissions workshop, 355
Site representativeness of urban air monitoring stations, 755
Causes and consequences of backdrafting of vented gas appliances, 838
Assessment of health effects of fluctuating concentrations using simplified pharmacokinetic algorithms, 1022
Thoughts on predictive emissions monitoring from a regulatory perspective, 1086

Mortality
Is daily mortality associated specifically with fine particles?, 927

Motor Vehicles
A simple physical model for high power enrichment emissions, 216
Prediction of IM240 mass emissions using portable exhaust analyzers, 343
Real world vehicle emissions: A summary of the fifth coordinating research council on-road vehicle emissions workshop, 355
A fuel-based motor vehicle emission inventory, 581
Vehicle occupants' exposure to aromatic volatile organic compounds while commuting on an urban-suburban route in Korea, 749
Diagnosis and repair of excessively emitting vehicles, 940
Cost-effectiveness of emissions reduction through vehicle repair compared to CNG conversion, 985
Influence of ethanol-blended fuels on the emissions from three pre-1985 light-duty passenger vehicles, 1149

Multiple Regression
Modeling the energy content of municipal solid waste using multiple regression analysis, 650

Multivariate Statistical Analysis
Characterization of airborne dust from two nonferrous foundries by physico-chemical methods and multivariate statistical analyses, 450

Municipal Solid Waste
An indicator of solid waste generation potential for Illinois using principal components analysis and geographic information systems, 414
Laboratory investigation of a new Trommel Model, 558
Determination of the leaching dynamics of metals from municipal solid waste incinerator fly ash using a column test, 643
Modeling the energy content of municipal solid waste using multiple regression analysis, 650

NAAQS
Comparison of two ambient beta gauge PM_{10} samplers, 142

Site representativeness of urban air monitoring stations, 755

New York
Urban ozone plumes and population distribution by income and race: A case study of New York and Philadelphia, 207

Nitrogen
Aerobic treatment of a nitrogen-limited chemical process wastewater, 502

Nitrogen Dioxide
Site representativeness of urban air monitoring stations, 755
Causes and consequences of backdrafting of vented gas appliances, 838
Analysis of sampling strategies for estimating annual average indoor NO_2 concentrations in residences with gas ranges, 853

Nitrogen Oxides
Control of nitrogen oxide emissions by hydrogen peroxide-enhanced gas-phase oxidation of nitric oxide, 127
RECLAIM: Los Angeles' new market-based smog cleanup program, 195
Real world vehicle emissions: A summary of the fifth coordinating research council on-road vehicle emissions workshop, 355
Potential consequences of the Clean Coal Program for air and waste issues, 517
Combustion modifications of batch annealing furnaces and ammonia combustion ovens for No_x abatement in steel plants, 1171
Influence of ethanol-blended fuels on the emissions from three pre-1985 light-duty passenger vehicles, 1149

Non-Methane Hydrocarbons
Nutrient limitation in a compost biofilter degrading hexane, 300
Receptor model evaluation of the southeast Michigan ozone study ambient NMOC measurements, 1048

Non-Methane Organic Gases
Nutrient limitation in a compost biofilter degrading hexane, 300

Non-Traditional Sources
Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems, 657
Modeling emissions from elevated cylindrical bins, 725

Nutrient
Aerobic treatment of a nitrogen-limited chemical process wastewater, 502

Odor Measurement
Research and development on odor measurement using a semiconductor gas sensor, 260

Odors
Research and development on odor measurement using a semiconductor gas sensor, 260

Oil Burning Furnaces
Characterization of air toxics from an oil-fired firetube boiler, 742

Oil Spill Cleanup
Particle and gas emissions from an in situ burn of crude oil on the ocean, 251

Open Path FTIR
International diffusion of open path FTIR technology and air monitoring methods: Taiwan (Republic of China), 761

Organic Soils
Laboratory investigation of heavy metal removal by soil washing, 765

Oxyfuels
Are oxygenated fuels effective? An evaluation of ambient carbon monoxide concentrations in 11 Western states, 1986 to 1992, 20

Oxygenated Fuels
Influence of ethanol-blended fuels on the emissions from three pre-1985 light-duty passenger vehicles, 1149

Ozone
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35
Background ozone in the planetary boundary layer over the United States, 134
Predicting ozone uptake from meteorological and environmental variables, 464
Site representativeness of urban air monitoring stations, 755
Measurement of indoor air emissions from dry-process photocopy machines, 821

Ozone Uptake
Predicting ozone uptake from meteorological and environmental variables, 464

Ozone, Boundary Layer
Background ozone in the planetary boundary layer over the United States, 134

Ozone, Tropospheric
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35
Background ozone in the planetary boundary layer over the United States, 134
Urban ozone plumes and population distribution by income and race: A case study of New York and Philadelphia, 207
A socioeconomic assessment of human exposure to ozone in the South Coast air basin of California, 547

Particle Counters
Understanding and reducing the indoor concentration of submicron particles at a commercial building in Southern California, 291

Particle Size Effects
Aerosolization as a means of sample preparation of geological materials for XRF analysis and its validity compared to EPA method 3050A digestion, 234

Particles
Particle concentrations inside a tavern before and after prohibition of smoking: Evaluating the performance of an indoor air quality model, 1120

PCBs
Site demonstration of Terra-Kleen response group's mobile solvent extraction process, 971

Permit Limit
An envelope curve as a 12-month rolling sum permit limit, 174

Permitting
An envelope curve as a 12-month rolling sum permit limit, 174

Personal Air Quality Monitors
Indoor particles: A review, 98

Pesticides
Site demonstration of Terra-Kleen response group's mobile solvent extraction process, 971

Philadelphia
Urban ozone plumes and population distribution by income and race: A case study of New York and Philadelphia, 207

Photocatalytic Oxidation
Heterogeneous photocatalysis for control of volatile organic compounds in indoor air, 891

Photochemical Pollutants
Background ozone in the planetary boundary layer over the United States, 134
Scientific basis for the VOC reactivity issues raised by Section 183(e) of the Clean Air Act Amendments of 1990, 963

Photocopy Machine
Measurement of indoor air emissions from dry-process photocopy machines, 821

Plasma Systems
Laboratory scale thermal plasma arc vitrification studies of heavy metal-laden waste, 1075
Modeling of thermal treatment of hazardous solid wastes in a DC arc melter, 1162

Plastic
Development of emission factors for polyethylene processing, 569

Plume Profiles
Modeling emissions from elevated cylindrical bins, 725

Plumes
Field assessment of a new method for estimating emission rates from volume sources using open-path FTIR spectroscopy, 159
Particle and gas emissions from an in situ burn of crude oil on the ocean, 251
A simple neural network for estimating emission rates of hydrogen sulfide and ammonia from single point sources, 953

PM_{10}
Indoor particles: A review, 98
Comparison of two ambient beta gauge PM_{10} samplers, 142
Pressure correction is not required for particulate matter sampling, 172
Aerosolization as a means of sample preparation of geological materials for XRF analysis and its validity compared to EPA method 3050A digestion, 234
Site representativeness of urban air monitoring stations, 755
Is daily mortality associated specifically with fine particles?, 927

PM_{25}
Is daily mortality associated specifically with fine particles?, 927

Policy Decision Making
Using travel diary data to estimate the emissions impacts of transportation strategies: The Puget Sound telecommuting demonstration project, 47
Diagnosis and repair of excessively emitting vehicles, 940
Establishing and evaluating the risk implications of uniform soil remediation goals, 1179

Pollutant Concentration
A gas chromatographic continuous emissions monitoring system for the determination of VOCs and HAPs, 30
Estimating trace element emissions using USGS coal data, 58
Pressure correction is not required for particulate matter sampling, 172
Particle and gas emissions from an in situ burn of crude oil on the ocean, 251
Airborne lidar measurements of a smoke plume produced by a controlled burn of crude oil on the ocean, 327
Modeling emissions from elevated cylindrical bins, 725

Pollution Control Equipment
Treatment of halogenated organic vent streams for the reduction of air emissions, 458
Effectiveness of in-room air filtration and dilution ventilation for tuberculosis infection control, 869

Pollution Prevention
Particle and gas emissions from an in situ burn of crude oil on the ocean, 251
Evaluation of innovative ink feed systems for the flexographic and gravure printing industries, 267
Prediction of IM240 mass emissions using portable exhaust analyzers, 343
Measurement of indoor air emissions from dry-process photocopy machines, 821

Polyethylene
Development of emission factors for polyethylene processing, 569

Population Distribution
Urban ozone plumes and population distribution by income and race: A case study of New York and Philadelphia, 207

Potential Source Contribution Function
Possible sources for some trace elements found in airborne particles and precipitation in Dorset, Ontario, 1035

Power Plants
Control of nitrogen oxide emissions by hydrogen peroxide-enhanced gas-phase oxidation of nitric oxide, 127
Interlaboratory and intralaboratory variability in the analysis of mercury in coal, 317

Precipitation
Wetfall deposition and precipitation chemistry for a central Appalachian forest, 978
Possible sources for some trace elements found in airborne particles and precipitation in Dorset, Ontario, 1035

Pressure
Pressure correction is not required for particulate matter sampling, 172

Primus Serotina
Predicting ozone uptake from meteorological and environmental variables, 464

Printing
Evaluation of innovative ink feed systems for the flexographic and gravure printing industries, 267

Processing
Development of emission factors for polyethylene processing, 569

Public Health
Predicting radon testing among university employees, 2
Effectiveness of in-room air filtration and dilution ventilation for tuberculosis infection control, 869

Race
Urban ozone plumes and population distribution by income and race: A case study of New York and Philadelphia, 207

Radon
Predicting radon testing among university employees, 2

Receptor Modeling
Possible sources for some trace elements found in airborne particles and precipitation in Dorset, Ontario, 1035
Receptor model evaluation of the southeast Michigan ozone study ambient NMOC measurements, 1048

Recycling
Laboratory investigation of a new Trommel Model, 558

Regulations
RECLAIM: Los Angeles' new market-based smog cleanup program, 195
Review of quantitative standards and guidelines for fungi in indoor air, 899

Remediation
Predicting radon testing among university employees, 2
Low temperature desorption applications of a direct-fired rotary kiln incinerator, 12
EPA SITE emerging technology program: COGNIS TERRAMET® lead extraction process, 470
Site demonstration of Terra-Kleen response group's mobile solvent extraction process, 971
A central composite rotatable analysis for the catalyzed

hydrogen peroxide remediation of diesel-contaminated soils, 1067
Establishing and evaluating the risk implications of uniform soil remediation goals, 1179

Remote Sensing
Enhancement of remote sensing for mobile source nitric oxide, 25
An experimental evaluation of remote sensing-based hydrocarbon measurements: A comparison to FID measurements, 148
Field assessment of a new method for estimating emission rates from volume sources using open-path FTIR spectroscopy, 159
Real world vehicle emissions: A summary of the fifth coordinating research council on-road vehicle emissions workshop, 355
International diffusion of open path FTIR technology and air monitoring methods: Taiwan (Republic of China), 761

Research and Development
Field assessment of a new method for estimating emission rates from volume sources using open-path FTIR spectroscopy, 159
Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber, 309
Laboratory scale thermal plasma arc vitrification studies of heavy metal-laden waste, 1075
Research and evaluations of organic hazardous air pollutant source emission test methods, 1135

Residences
Causes and consequences of backdrafting of vented gas appliances, 838
Analysis of sampling strategies for estimating annual average indoor NO_2 concentrations in residences with gas ranges, 853
Review of quantitative standards and guidelines for fungi in indoor air, 899

Respiratory Health
Predicting radon testing among university employees, 2
A strategy for the evaluation of sensory and pulmonary irritation due to chemical emissions from indoor sources, 808
Analysis of sampling strategies for estimating annual average indoor NO_2 concentrations in residences with gas ranges, 853
Effectiveness of in-room air filtration and dilution ventilation for tuberculosis infection control, 869

Risk Assessment
Assessment of health effects of fluctuating concentrations using simplified pharmacokinetic algorithms, 1022

Risk Perception
Urban ozone plumes and population distribution by income and race: A case study of New York and Philadelphia, 207

Roadways
A mathematical model for predicting trends in carbon monoxide emissions and exposures on urban arterial highways, 430

Rolling Sum
An envelope curve as a 12-month rolling sum permit limit, 174

Rotary Kiln
Low temperature desorption applications of a direct-fired rotary kiln incinerator, 12
Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber, 309
Laboratory investigation of a new Trommel Model, 558

Rural Sites
Wetfall deposition and precipitation chemistry for a central Appalachian forest, 978

Sample Preparation
Aerosolization as a means of sample preparation of geological materials for XRF analysis and its validity compared to EPA method 3050A digestion, 234

Sampling
Validation of a test method for collection and analysis of chloroform emissions from stationary sources, 66
Comparison of two ambient beta gauge PM_{10} samplers, 142
Airborne lidar measurements of a smoke plume produced by a controlled burn of crude oil on the ocean, 327
Evaluation of an in situ, on-line purging system for the cone penetrometer, 1081
Research and evaluations of organic hazardous air pollutant source emission test methods, 1135

Scrubbers
Control of nitrogen oxide emissions by hydrogen peroxide-enhanced gas-phase oxidation of nitric oxide, 127
Nutrient limitation in a compost biofilter degrading hexane, 300
Treatment of halogenated organic vent streams for the reduction of air emissions, 458

Selective catalytic reduction
Control of nitrogen oxide emissions by hydrogen peroxide-enhanced gas-phase oxidation of nitric oxide, 127

Sensor
Research and development on odor measurement using a semiconductor gas sensor, 260

Sewers
VOC emissions from sewer junction boxes and drop structures: Estimation methods and experimental results, 224

SITE Program Demonstration
Site demonstration of Terra-Kleen response group's mobile solvent extraction process, 971

Smoke Measurement by Airborne Lidar
Airborne lidar measurements of a smoke plume produced by a controlled burn of crude oil on the ocean, 327

Socio-Economic
An indicator of solid waste generation potential for Illinois using principal components analysis and geographic information systems, 414

Soil
Thermal immobilization of lead contaminants in soils treated in a fixed- and fluidized-bed incinerator at moderate temperatures, 422
Laboratory investigation of heavy metal removal by soil washing, 765
A central composite rotatable analysis for the catalyzed hydrogen peroxide remediation of diesel-contaminated soils, 1067
Evaluation of an in situ, on-line purging system for the cone penetrometer, 1081
Establishing and evaluating the risk implications of uniform soil remediation goals, 1179

Soil Washing
EPA SITE emerging technology program: COGNIS TERRAMET® lead extraction process, 470

Solid Waste
Potential consequences of the Clean Coal Program for air and waste issues, 517
Laboratory investigation of a new Trommel Model, 558

Solvent Extraction
Site demonstration of Terra-Kleen response group's mobile solvent extraction process, 971

Soot
Particle and gas emissions from an in situ burn of crude oil on the ocean, 251

Sorbent Injection
Reactions between vapor phase lead compounds and in situ generated silica particles at various lead-silicon feed ratios: Applications to toxic metal capture in combustors, 530
On the intrinsic high temperature calcium oxide-sulfur dioxide reaction using the vacuum thermogravimetric analysis technique, 734

Source Profiles
Indoor particles: A review, 98
Airborne lidar measurements of a smoke plume produced by a controlled burn of crude oil on the ocean, 327

South Coast Air Basin
Diagnosis and repair of excessively emitting vehicles, 940

State Implemented Plans (STPs)
Diagnosis and repair of excessively emitting vehicles, 940

Stationary Sources
Validation of a test method for collection and analysis of chloroform emissions from stationary sources, 66
RECLAIM: Los Angeles' new market-based smog cleanup program, 195
Research and development on odor measurement using a semiconductor gas sensor, 260
Combustion modifications of batch annealing furnaces and ammonia combustion ovens for No_x abatement in steel plants, 1171
Research and evaluations of organic hazardous air pollutant source emission test methods, 1135

Stomatal Conductance
Predicting ozone uptake from meteorological and environmental variables, 464

Submicron Particles
Understanding and reducing the indoor concentration of submicron particles at a commercial building in Southern California, 291

Sulfur Dioxide
RECLAIM: Los Angeles' new market-based smog cleanup program, 195
Potential consequences of the Clean Coal Program for air and waste issues, 517
Estimation of trends in atmospheric concentrations of sulfate in the northeastern United States, 621
On the intrinsic high termperature calcium oxide-sulfur dioxide reaction using the vacuum thermogravimetric analysis technique, 734
Site representativeness of urban air monitoring stations, 755

Superfund Innovative Technology Evaluation (SITE)
Thermal immobilization of lead contaminants in soils treated in a fixed- and fluidized-bed incinerator at moderate temperatures, 422
EPA SITE emerging technology program: COGNIS TERRAMET® lead extraction process, 470
Site demonstration of Terra-Kleen response group's mobile solvent extraction process, 971

Technology Development
Evaluation of an in situ, on-line purging system for the cone penetrometer, 1081

Technology Transfer
International diffusion of open path FTIR technology and air monitoring methods: Taiwan (Republic of China), 761

Telecommuting
Using travel diary data to estimate the emissions impacts of transportation strategies: The Puget Sound telecommuting demonstration project, 47

Temperature
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35
Comparison of two ambient beta gauge PM_{10} samplers, 142
Aerobic treatment of a nitrogen-limited chemical process wastewater, 502
On the intrinsic high termperature calcium oxide-sulfur dioxide reaction using the vacuum thermogravimetric analysis technique, 734

Testing
Predicting radon testing among university employees, 2
Comparison of two ambient beta gauge PM_{10} samplers, 142
Prediction of IM240 mass emissions using portable exhaust analyzers, 343
Causes and consequences of backdrafting of vented gas appliances, 838
VOC removal at low contaminant concentrations using granular activated carbon, 883
Research and evaluations of organic hazardous air pollutant source emission test methods, 1135

Thermal Treatment
Low temperature desorption applications of a direct-fired rotary kiln incinerator, 12
Reactions between vapor phase lead compounds and in situ generated silica particles at various lead-silicon feed ratios: Applications to toxic metal capture in combustors, 530
Modeling of thermal treatment of hazardous solid wastes in a DC arc melter, 1162

Toluene
Alveolar breath sampling and analysis to assess exposures to methyl tertiary butyl ether (MTBE) during motor vehicle refueling, 676

Toxic Air Monitoring System (TAMS)
Research and development on odor measurement using a semiconductor gas sensor, 260

Toxic Air Pollutants
Estimating trace element emissions using USGS coal data, 58
Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems, 657
Air emissions from the manufacture of inks, 683
Characterization of air toxics from an oil-fired firetube boiler, 742
A strategy for the evaluation of sensory and pulmonary irritation due to chemical emissions from indoor sources, 808
Assessment of health effects of fluctuating concentrations using simplified pharmacokinetic algorithms, 1022
Influence of ethanol-blended fuels on the emissions from three pre-1985 light-duty passenger vehicles, 1149

Toxic Gases
Predicting radon testing among university employees, 2
A strategy for the evaluation of sensory and pulmonary irritation due to chemical emissions from indoor sources, 808
A simple neural network for estimating emission rates of hydrogen sulfide and ammonia from single point sources, 953

Toxic Metals
Estimating trace element emissions using USGS coal data, 58
EPA SITE emerging technology program: COGNIS TERRAMET® lead extraction process, 470
Reactions between vapor phase lead compounds and in situ generated silica particles at various lead-silicon feed ratios: Applications to toxic metal capture in combustors, 530
Determination of the leaching dynamics of metals from municipal solid waste incinerator fly ash using a column test, 643
Laboratory investigation of heavy metal removal by soil washing, 765
Laboratory scale thermal plasma arc vitrification studies of heavy metal-laden waste, 1075

Toxic Release Inventory (TRI)
A simple neural network for estimating emission rates of hydrogen sulfide and ammonia from single point sources, 953

Toxicity Characteristics Leachability Procedure (TCLP)
Thermal immobilization of lead contaminants in soils treated in a fixed- and fluidized-bed incinerator at moderate temperatures, 422

Toxicology
A strategy for the evaluation of sensory and pulmonary irritation due to chemical emissions from indoor sources, 808
Assessment of health effects of fluctuating concentrations using simplified pharmacokinetic algorithms, 1022

Toxics
Estimating trace element emissions using USGS coal data, 58

Trace Elements
Possible sources for some trace elements found in airborne particles and precipitation in Dorset, Ontario, 1035

Tracer Techniques
Field assessment of a new method for estimating emission rates from volume sources using open-path FTIR spectroscopy, 159

Training
International diffusion of open path FTIR technology and air monitoring methods: Taiwan (Republic of China), 761

Trajectories
Possible sources for some trace elements found in airborne particles and precipitation in Dorset, Ontario, 1035

Treatment Technologies
Low temperature desorption applications of a direct-fired rotary kiln incinerator, 12

Trend Analysis
A mathematical model for predicting trends in carbon monoxide emissions and exposures on urban arterial highways, 430

Trichloroethylene
A methodological approach for exposure assessment studies in residences using volatile organic compound-contaminated water, 1058

U.S. Environmental Protection Agency
Aerosolization as a means of sample preparation of geological materials for XRF analysis and its validity compared to EPA method 3050A digestion, 234
Evaluation of innovative ink feed systems for the flexographic and gravure printing industries, 267
Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber, 309
Measurement of indoor air emissions from dry-process photocopy machines, 821

Urban Areas
A mathematical model for predicting trends in carbon monoxide emissions and exposures on urban arterial highways, 430
Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems, 657
Vehicle occupants' exposure to aromatic volatile organic compounds while commuting on an urban-suburban route in Korea, 749

Utilities
Control of nitrogen oxide emissions by hydrogen peroxide-enhanced gas-phase oxidation of nitric oxide, 127
Causes and consequences of backdrafting of vented gas appliances, 838

Vacuum TGA
On the intrinsic high termperature calcium oxide-sulfur dioxide reaction using the vacuum thermogravimetric analysis technique, 734

Vapors
Nutrient limitation in a compost biofilter degrading hexane, 300
Air emissions from the manufacture of inks, 683
Characterization of volatile organic chemical emissions from carpet cushions, 813

Ventilation
Understanding and reducing the indoor concentration of submicron particles at a commercial building in Southern California, 291
A wind tunnel study into the effects of raised intakes and parapets on fresh air intake contamination by a rooftop stack, 847
Effectiveness of in-room air filtration and dilution ventilation for tuberculosis infection control, 869

Visibility
Identification of candidate clean air corridors for the Colorado Plateau, 441

Vitrification
Laboratory scale thermal plasma arc vitrification studies of heavy metal-laden waste, 1075

Volatile Organic Compounds (VOCs)
A gas chromatographic continuous emissions monitoring system for the determination of VOCs and HAPs, 30
Characterization of volatile organic chemical emissions from carpet cushions, 81
VOC emissions from sewer junction boxes and drop structures: Estimation methods and experimental results, 224
Evaluation of innovative ink feed systems for the flexographic and gravure printing industries, 267
Nutrient limitation in a compost biofilter degrading hexane, 300
Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber, 309
Treatment of halogenated organic vent streams for the reduction of air emissions, 458
Effect of periods of non-use on biofilter performance, 539
Development of emission factors for polyethylene processing, 569
Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems, 657
Air emissions from the manufacture of inks, 683
Characterization of air toxics from an oil-fired firetube boiler, 742
Vehicle occupants' exposure to aromatic volatile organic compounds while commuting on an urban-suburban route in Korea, 749

A strategy for the evaluation of sensory and pulmonary irritation due to chemical emissions from indoor sources, 808
Measurement of indoor air emissions from dry-process photocopy machines, 821
Volatilization of chemicals from drinking water to indoor air: Role of the kitchen sink, 830
VOC removal at low contaminant concentrations using granular activated carbon, 883
Heterogeneous photocatalysis for control of volatile organic compounds in indoor air, 891
Receptor model evaluation of the southeast Michigan ozone study ambient NMOC measurements, 1048
Evaluation of an in situ, on-line purging system for the cone penetrometer, 1081

Volatile Suspended Solids
Aerobic treatment of a nitrogen-limited chemical process wastewater, 502

Volatilization
Volatilization of chemicals from drinking water to indoor air: Role of the kitchen sink, 830

Wash Basins
Volatilization of chemicals from drinking water to indoor air: Role of the kitchen sink, 830

Washing Machines
Chloroform in indoor air and wastewater: The role of residential washing machines, 631

Waste Management
An indicator of solid waste generation potential for Illinois using principal components analysis and geographic information systems, 414
Potential consequences of the Clean Coal Program for air and waste issues, 517
Laboratory investigation of a new Trommel Model, 558

Waste Stream
VOC emissions from sewer junction boxes and drop structures: Estimation methods and experimental results, 224
Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems, 657

Waste Treatment
Low temperature desorption applications of a direct-fired rotary kiln incinerator, 12
Research and development on odor measurement using a semiconductor gas sensor, 260
Laboratory investigation of a new Trommel Model, 558
Laboratory investigation of heavy metal removal by soil washing, 765
Modeling of thermal treatment of hazardous solid wastes in a DC arc melter, 1162

Wastewater
VOC emissions from sewer junction boxes and drop structures: Estimation methods and experimental results, 224

Wastewater Treatment
Aerobic treatment of a nitrogen-limited chemical process wastewater, 502

Wind Effects
A simple neural network for estimating emission rates of hydrogen sulfide and ammonia from single point sources, 953

Wind Tunnel
Modeling emissions from elevated cylindrical bins, 725

Wind Tunnel Modeling
A wind tunnel study into the effects of raised intakes and parapets on fresh air intake contamination by a rooftop stack, 847

XRF
Aerosolization as a means of sample preparation of geological materials for XRF analysis and its validity compared to EPA method 3050A digestion, 234

ONLY $99

NOW ON SALE! 89th A&WMA Annual Meeting Proceedings on CD-ROM

This is it! We have only a limited supply of CD-ROM proceedings from A&WMA's 89th Annual Meeting & Exhibition held in June 1996 in Nashville, TN. This Windows-based CD-ROM includes all 856 technical manuscripts that were presented at the meeting. You won't want to miss out on this valuable information now on sale. Originally $300, this CD-ROM can be yours for only $99.00 while supplies last. This is a limited time offer. Order today!

Return the coupon below to (412) 232-3450 or call us to place your order at (412) 232-3444 extension 3124.

COUPON

Name: _____

Address: _____

Daytime Telephone: _____

Credit Card Number: _____

Card Type: _____ Expiration Date: _____

Signature: _____

We accept Visa, MasterCard, American Express and Discover.

JOURNAL
OF THE AIR & WASTE MANAGEMENT ASSOCIATION VOLUME 46

Author Index

Altshuller, A.P.
Background ozone in the planetary boundary layer over the United States, 134

An, F.
A single physical model for high power enrichment emissions, 216

Belian, T.C.
Real world vehicle emissions: A summary of the fifth coordinating research council on-road vehicle emissions workshop, 355

Bishop, G.A.
Motor vehicle emissions variability, 667

Biswas, P.
Reactions between vapor phase lead compounds and in situ generated silica particles at various lead-silicon feed ratios: Applications to toxic metal capture in combustors, 530

Blasing, T.J.
Potential consequences of the Clean Coal Program for air and waste issues, 517

Bowman, W.A.
Maximum ground-level concentrations with downwash: The urban stability mode, 615

Cailas, M.D.
An indicator of solid waste generation potential for Illinois using principal components analysis and geographic information systems, 414

Chan, C.C.
Site representativeness of urban air monitoring stations, 755

Chang, D.P.Y.
Nutrient limitation in a compost biofilter degrading hexane, 300

Cooper, C.D.
Control of nitrogen oxide emissions by hydrogen peroxide-enhanced gas-phase oxidation of nitric oxide, 127

Corsi, R.L.
VOC emissions from sewer junction boxes and drop structures: Estimation methods and experimental results, 224
Chloroform in indoor air and wastewater: The role of residential washing machines, 631

DeVito, M.S.
Interlaboratory and intralaboratory variability in the analysis of mercury in coal, 317

Dimitriades, B.
Scientific basis for the VOC reactivity issues raised by Section 183(e) of the Clean Air Act Amendment of 1990, 963

Dominguez, L.M.
A gas chromatographic continuous emissions monitoring system for the determination of VOCs and HAPs, 30

Doskey, P.V.
Evaluation of an in situ, on-line purging system for the cone penetrometer, 1081

Eghneim, G.
Thoughts on predictive emissions monitoring from a regulatory perspective, 1086

Farouk, B.
Modeling of thermal treatment of hazardous solid wastes in a DC arc melter, 1162

Fox, R.D.
26th annual critical review: Physical/chemical treatment of organically contaminated soils and sediments, 391

Fredericksen, T.S.
Predicting ozone uptake from meteorological and environmental variables, 464

Fristad, W.E.
EPA SITE emerging technology programs: COGNIS TERRAMET® lead extraction process, 470

Furtaw, E.J.
Modeling indoor air concentrations near emission sources in imperfectly mixed rooms, 861

Giese-Bogdan, S.
International diffusion of open path FTIR technology and air monitoring methods: Taiwan (Republic of China), 761

Gilliam, F.S.
Wetfall deposition and precipitation chemistry for a central Appalachian forest, 978

Gold, D.R.
Comparison of outdoor and classroom ozone exposures for school children in Mexico City, 335

Green, M.C.
Identification of candidate clean air corridors for the Colorado Plateau, 441

Guenther, P.L.
Prediction of IM240 mass emissions using portable exhaust analyzers, 343

Harley, R.A.
A fuel-based motor vehicle emission inventory, 581

Harris, L.R.
Development of emission factors for polyethylene processing, 569

Henderson, D.K.
Using travel diary data to estimate the emissions impacts of transportation strategies: The Puget Sound telecommuting demonstration project, 47

Hildemann, L.M.
A mathematical model for predicting trends in carbon monoxide emissions and exposures on urban arterial highways, 430

Hobbs, P.V.
Particle and gas emissions from an in situ burn of crude oil on the ocean, 251
Airborne lidar measurements of a smoke plume produced by a controlled burn of crude oil on the ocean, 327

Holsen, T.M.
Modeling the energy content of municipal solid waste using multiple regression analysis, 650

Hopke, P.K.
Possible sources for some trace elements found in airborne particles and precipitation in Dorset, Ontario, 1035

Houston, T.E.
The application of the Karl Fischer oven for the determination of water in consumer products, 990

Howard, C.
Volatilization of chemicals from drinking water to indoor air: Role of the kitchen sink, 830

Howland, J.
Predicting radon testing among university employees, 2

Hwang, S.J.
Waste gas treatment in biofilters, 349

Jacoby, W.A.
Heterogeneous photocatalysis for control of volatile organic compounds in indoor air, 891

Jayanty, R.K.M.
Validation of a test method for collection and analysis of chloroform emissions from stationary sources, 66

Jiang, H.
An envelope curve as a 12-month rolling sum permit limit, 174

Jo, W.K.
Vehicle occupants' exposure to aromatic volatile organic compounds while commuting on an urban-suburban route in Korea, 749

Johnson, L.D.
Research and evaluations of organic hazardous air pollutant source emission test methods, 1135

Jones, D.L.
Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems, 657

Khan, L.I.
Laboratory investigation of heavy metal removal by soil washing, 765

Korc, M.E.
A socioeconomic assessment of human exposure to ozone in the South Coast Air Basin of California, 547

Labieniec, P.A.
Establishing and evaluating the risk implications of uniform soil remediation goals, 1179

Landsberger, S.
Determination of the leaching dynamics of metals from municipal solid waste incinerator fly ash using a column test, 643

Lemieux, P.M.
Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber, 309

Lents, J.M.
RECLAIM: Los Angeles' new market-based smog cleanup program, 195

Leovic, K.W.
Measurement of indoor air emissions from dry-process photocopy machines, 821

Lillquist, D.R.
Pressure correction is not required for particulate matter sampling, 172

Lindstrom, A.B.
Alveolar breath sampling and analysis to assess exposures to methyl tertiary butyl ether (MTBE) during motor vehicle refueling, 676
A methodological approach for exposure assessment studies in residences using volatile organic compound-contaminated water, 1058

Liu, F.
Urban ozone plumes and population distribution by income and race: A case study of New York and Philadelphia, 207

Lowery, K.P.
A wind tunnel study into the effects of raised intakes and parapets of fresh air intake contamination by a rooftop stack, 847

Mannino, D.M.
Are oxygenated fuels effective? An evaluation of ambient carbon monoxide concentrations in 11 Western states, 1986 to 1992, 20

Martin, F.J.
Effect of periods of non-use on biofilter performance, 539

McBrien, R.
Modeling emissions from elevated cylindrical bins, 725

Meckes, M.C.
Site demonstration of Terra-Kleen response group's mobile solvent extraction process, 971

Melton, L.H.
Industrial combustion coordinated rulemaking, 769

Michaud, D.
Characterization of airborne dust from two nonferrous foundries by physico-chemical methods and multivariate statistical analyses, 450

Miller, C.A.
Characterization of air toxics from an oil-fired firetube boiler, 742

Mohnen, V.
Airborne chemical and meteorological measurements made during the 1992 TRACT experiment: Quality control and assessment, 710

Muller, W.J.
A strategy for the evaluation of sensory and pulmonary irritation due to chemical emissions from indoor sources, 808

Nagda, N.L.
Causes and consequences of backdrafting of vented gas appliances, 838

Nazaroff, W.W.
Effectiveness of in-room air filtration and dilution ventilation for tuberculosis infection control, 869

Nishida, K.
Research and development of odor measurement using a semiconductor gas sensor, 260

Nunez, C.M.
Evaluation of innovative ink feed systems for the flexographic and gravure printing industries, 267

Ott, W.R.
Particle concentrations inside a tavern before and after prohibition of smoking: Evaluating the performance of an indoor air quality model, 1120

Phillips, J.B.
Treatment of halogenated organic vent streams for the reduction of air emissions, 458
Air emissions from the manufacture of inks, 683

Piccot, S.D.
Field assessment of a new method for estimating emission rates from volume sources using open-path FTIR spectroscopy, 159

Poore, M.W.
Determination of exempt and prohibited compounds in consumer products by headspace gas chromatography mass spectrometry, 1093

Rajan, S.C.
Diagnosis and repair of excessively emitting vehicles, 940

Rao, C.Y.
Review of quantitative standards and guidelines for fungi in indoor air, 899

Rao, S.T.
Moderating the influence of meteorological conditions on ambient ozone concentrations, 35

Rege, M.A.
A simple neural network for estimating emission rates of hydrogen sulfide and ammonia from single point sources, 953

Saltzman, B.E.
Assessment of health effects of fluctuating concentrations using simplified pharmacokinetic algorithms, 1022

Sarver, R.H.
Aerosolization as a means of sample preparation of geological materials for XRF analysis and its validity compared to EPA method 3050A digestion, 234

Schaeffer, V.H.
Characterization of volatile organic chemical emissions from carpet cushions, 813

Scheff, P.A.
Receptor model evaluation of the Southeast Michigan ozone study ambient NMOC measurements, 1048

Schwartz, J
Is daily mortality associated specifically with fine particles?, 927

Shreffler, J.H.
Estimation of trends in atmospheric concentrations of sulfate in the northeastern United States, 621

Smith, D.P.
Aerobic treatment of a nitrogen-limited chemical process groundwater, 502

Smith, E.D.
Laboratory scale thermal plasma arc vitrification studies of heavy metal-laden waste, 1075

Stedman, D.H.
Enhancement of remote sensing for mobile source nitric oxide, 25
Cost-effectiveness of emissions reduction through vehicle repair compared to CNG conversion, 985

Stephens, R.D.
An experimental evaluation of remote sensing-based hydrocarbon measurements: A comparison to FID measurements, 148
Analysis of remote sensing errors of omission and commission under FTP conditions, 510

Stessel, R.I.
Laboratory investigation of a new Trommel Model, 558

Stump, F.D.
Influence of ethanol-blended fuels on the emissions from three pre-1985 light-duty passenger vehicles, 1149

Teng, H.
Combustion modifications of batch annealing furnaces and ammonia combustion ovens for No_x abatement in steel plants, 1171

Thurnau, R.C.
Low temperature desorption applications of a direct-fired rotary kiln incinerator, 12

Tsai, C.J.
Comparison of two ambient beta gauge PM_{10} samplers, 142

Tumati, P.R.
Estimating trace element emissions using USGS coal data, 58

VanOsdell, D.W.
VOC Removal at low contaminant concentrations using granular activated carbon, 883

Vidic, R.D.
Uptake of elemental mercury vapors by activated carbons, 241

Wallace, L.
Indoor particles: A review, 98

Watts, R.J.
A central composite rotatable analysis for the catalyzed hydrogen peroxide remediation of diesel-contaminated soils, 1067

Wei, Y.L.
Thermal immobilization of lead contaminants in soils treated in a fixed- and fluidized-bed incinerator at moderate temperatures, 422

Weschler, C.J.
Understanding and reducing the indoor concentration of submicron particles at a commercial building in southern California, 291

Wilkes, C.R.
Analysis of sampling strategies for estimating annual average indoor NO_2 concentrations in residences with gas ranges, 853

Ye, Z.
On the intrinsic high temperature calcium oxide-sulfur dioxide reaction using the vacuum thermogravimetric analysis technique, 734